

Preparing your property for winter

Preparing for winter during COVID-19

- Revisit your COVID secure risk assessment to ensure you've considered the colder weather, especially if you're at a testing site where people are queuing outside.
- If you have any COVID-19 related facilities management requests, contact our FM Helpdesk on 0808 196 2045 (urgent and emergency issues) and www.property.nhs.uk/newrequest (non-urgent issues).

Turning your heating back on



- Ahead of cold weather, turn boilers and radiators on as a simple test to ensure that they are in working order.
- If you need to make an adjustment to the controls, make it a little at a time, and give it time to react.
- The recommended set point for your heating is 21°C. If you have radiators, we recommend adjusting them to a 3 or 4 instead of maximum, so they will automatically adjust to maintain a comfortable temperature.
- Try not to open a window when the heating is on unless you think there is insufficient fresh air circulating.
- Don't block vents and grills. If you're getting a draught, try using the control to adjust the grill, or turn the fan speed down a little. If all else fails, ask your Facilities Coordinator for help.
- Check your hot water and heating is working at the beginning and end of each day so we can respond as soon as an issue arises rather than discovering it the next day when temperatures could have dropped massively.

Dealing with snow or ice



- Please check gritting has taken place in the event of cold weather. The type of grit we use may not be as visible as your usual household grit. Your occupancy agreement will outline if this service is undertaken by NHS Property Services for your property.
- Ensure standby arrangements for snow clearance are in place.
- If you are responsible for opening the building in the morning and the locks have frozen, use deicer spray or pour lukewarm water over it
- Make sure you assess the risk of slippery internal floors and take precautions.

Christmas decorations for 2020



This year additional Infection Prevention and Control measures need to be observed and this will impact on Christmas Decorations. The recommendations we have received are:

- Christmas trees should only be displayed externally or in large internal spaces with barriers around them to prevent access.
- Trees should not be placed in any clinical or non-clinical areas including corridors, foyers, cafes, offices or wards.
- Christmas lights can put on trees or used for external displays, but bulbs or rope lights should not be used in clinical or non-clinical areas.
- Laser lights can be used but the box should be regularly cleaned.
- Ceiling decorations can be used in low risk areas, but must be disposed of if there is a COVID19 outbreak.
- Ceiling decorations must not cover fire or security alarm sensors and ceiling tiles should not be lifted to hang them to avoid damage.

Using portable heaters



- Due to COVID-19, don't use fan heaters, and instead use convection heaters
- If you have to use a portable heater, ensure cables are tucked away to reduce trip hazards
- If you haven't used your heater since last winter, ensure it is free of dust and debris otherwise this can burn at first use and initiate the fire alarm. Also request a PAT test to further reduce fire risk
- Make sure you don't block your heater with anything, including your wet clothes, gloves and hats etc, and position it away from combustible materials to reduce a fire risk.
- Don't forget to turn them off when they're not needed, or better yet, use an automatic timer.

Report any facilities management issues impacting your building to the FM Helpdesk:



0808 196 2045 (urgent and out-of-hours)



www.property.nhs.uk/newrequest (non-urgent)